


FEATURES

- Self-healing, metallized polypropylene film, Oil filled
- Metal Case, Moisture and Oil Resistant, RoHS Compliant
- WEET WFR AC Motor Running capacitors are oil-filled metallized polypropylene film capacitors
- These capacitors are used in split phase motor, compressor, filter and other AC applications.
- The capacitors are housed aluminum cases with steel covers.
- Different terminal configurations are available for various wiring options.

DRAWING (mm) :



PICTURE



SPECIFICATIONS

Operating Temperature	-40°C ~ +85°C
Voltage Range	370VAC, 450VAC
Capacitance Range	2uF ~ 100uF
Capacitance Tolerance	±5%、±10%
Operating Frequency	50/60Hz
Withstand Voltage	T-T:2Un/2S; T-C:≥2200VAC/2S
Dissipation Factor	≤0.004 100Hz
Insulation Resistance	≥3000S



DIMENSIONS(MM)

CAP uF	WFR-A, WFR-B, WFR-C				CAP uF	WFR-D, WFR-E	
	370VAC		450VAC			450VAC	
	D	H	D	H		D	H
1	40	55	40	55	20+1.5	50	85
1.5	40	55	40	55	20+5	50	85
2	40	55	40	55	25+1.5	50	95
2.5	40	55	40	55	25+3	50	95
3	40	55	40	55	25+5	50	95
3.5	40	55	40	55	30+2	50	95
4	40	55	40	55	30+5	50	95
4.5	40	55	40	55	30+7.5	50	100
5	40	55	40	55	35+1.5	50	100
6	40	55	40	55	35+5	50	110
7	--	--	40	65	40+5	50	120
7.5	40	55	40	65	40+7.5	50	125
8	40	55	40	65	45+5	50	120
10	40	65	40	75	45+7.5	50	125
12	40	75	40	75	50+5	50	130
12.5	40	75	40	75	50+7.5	55	125
14	40	75	45	75	55+5	55	120
15	40	75	45	75	55+6	55	120
16	45	75	45	75	55+7.5	55	125
17	45	75	45	75	60+5	60	120
17.5	45	75	45	75	60+6	60	120
18	45	75	50	75	60+7.5	60	125
20	45	75	50	75	65+5	60	120
25	45	75	50	85	70+5	60	120
30	50	85	50	100	80+5	60	130
35	50	100	50	100	--	--	--
40	50	100	50	110	--	--	--
45	50	110	55	110	--	--	--
50	50	100	55	110	--	--	--
55	50	125	55	125	--	--	--
60	55	125	55	125	--	--	--
65	55	125	60	125	--	--	--
70	55	125	60	125	--	--	--
80	60	125	65	125	--	--	--
100	65	125	65	125	--	--	--

Note: Other Values are available on request. WEET is capable of doing custom service for you.



WEE Technology Company Limited
ROOM 1405, 14/F, LUCKY CENTRE,
171 WANCHAI ROAD,
WANCHAI, HONG KONG
www.weetcap.com
info@weetcap.com

All details in this data sheet are subject to change without notice.
For more details and updates, please visit our website.

Copyright © 2000 WEE Technology, All rights reserved.

